
PRE 1316

# Styli and Fixtures Promotion

2025·2026 | Valid from October 1, 2025 until May 31, 2026

## Mitutoyo







## Styli for CMM Made in Germany


Mitutoyo styli are made to the highest standards to ensure maximum quality and performance. Precision machined components made from the finest quality materials and Grade 5 (DIN 5401:2002) styli balls set the base for high accuracy CMM measurement. Longstanding experience and expertise are used to craft our styli product range with a passion right in the heart of Germany.

#### M2 Styli

## **Stylus M2 ruby ball** stainless steel shaft, base stainless steel




| Code    | Thread | S mm | L mm | ML mm | Renishaw<br>Equivalent | List Price € | Promotion<br>Price € |
|---------|--------|------|------|-------|------------------------|--------------|----------------------|
| K651012 | M2     | 1    | 10   | 4,9   | A-5000-7806            | 30,00        | 24,00                |
| K651014 | M2     | 2    | 10   | 6,5   | A-5000-7807            | 21,00        | 17,00                |
| K651017 | M2     | 4    | 10   | 10    | A-5000-4154            | 24,00        | 19,00                |
| K651019 | M2     | 2    | 20   | 15,3  | A-5000-3603            | 25,00        | 20,00                |
| K651021 | M2     | 3    | 20   | 17,5  | A-5000-4160            | 26,00        | 21,00                |
| K651022 | M2     | 4    | 20   | 20    | A-5000-4161            | 27,00        | 22,00                |
| K651024 | M2     | 6    | 10   | 10    | A-5000-4156            | 37,00        | 30,00                |



**Stylus M2 ruby ball** carbide shaft, base stainless steel








**Stylus M2 ruby ball** stepped carbide shaft, base stainless steel

| Code    | Thread | S mm | Lmm | ML<br>mm | ML 1<br>mm | Renishaw<br>Equivalent | List Price € | Promotion<br>Price € |
|---------|--------|------|-----|----------|------------|------------------------|--------------|----------------------|
| K651233 | M2     | 0,3  | 10  | 4        | 2,25       | A-5000-7800            | 114,00       | 91,00                |
| K651235 | M2     | 0,5  | 20  | 12       | 2          |                        | 113,00       | 90,00                |
| K651276 | M2     | 0,5  | 10  | 4        | 3          | A-5000-7805            | 103,00       | 82,00                |



Extension M2 steel stainless steel




| Code    | Thread | L mm | D mm | Renishaw<br>Equivalent | List Price € | Promotion<br>Price € |
|---------|--------|------|------|------------------------|--------------|----------------------|
| K651038 | M2     | 10   | 3    | A-5004-7585            | 13,00        | 10,00                |
| K651039 | M2     | 20   | 3    | A-5004-7586            | 14,00        | 11,00                |
| K651040 | M2     | 30   | 3    | A-5004-7591            | 15,00        | 12,00                |
| K651041 | M2     | 40   | 3    | A-5004-7611            | 17,00        | 14,00                |




**5-way stylus holder M2** stainless steel, rotatable



| Code    | Thread | L mm | ML mm | D mm | List Price € | Promotion<br>Price € |
|---------|--------|------|-------|------|--------------|----------------------|
| K651058 | M2     | 7,5  | 6     | 7    | 46,00        | 37,00                |



#### M2 Starter kit



| Code    | Description                | qty. | ø S mm | L mm |
|---------|----------------------------|------|--------|------|
| K651376 | Styli Kit M2 Starter       |      |        |      |
| K651012 | Stylus, stainless steel    | 1    | 1      | 10   |
| K651019 | Stylus, stainless steel    | 1    | 2      | 20   |
| K651021 | Stylus, stainless steel    | 1    | 3      | 20   |
| K651022 | Stylus, stainless steel    | 1    | 4      | 20   |
| K651038 | Extension, stainless steel | 1    |        | 10   |
| K651039 | Extension, stainless steel | 1    |        | 20   |
| K651223 | Pin spanner ø 1.2 mm       | 2    |        | 23   |







styli web catalogue

## M3 Styli

Stylus M3 ruby ball stainless steel shaft, base stainless steel



Stylus M3 ruby ball carbide shaft, base stainless steel



Stylus M3 ruby ball stepped carbide shaft, base stainless steel



**Extension M3 steel** stainless steel



5-way stylus holder M3 stainless steel, rotatable



Adapter M3 to M2 steel stainless steel



| N AZA | Strain' |          |        |  |
|-------|---------|----------|--------|--|
|       |         |          | 77-250 |  |
|       | TO THE  | 445+1-11 | TILL   |  |

L mm

5

Styli Kit M3 Starter Steel styli and extensions

| Material | Description          | qty. | Thread | List<br>Price € | Promotion<br>Price € |
|----------|----------------------|------|--------|-----------------|----------------------|
| K651380  | Styli Kit M3 Starter | 9    | M3     | 236,00          | 189,00               |

Thread

М3


Code


K651170


| Code    | Thread | S mm | L mm | ML<br>mm | Renishaw<br>Equivalent | List Price € | Promotion<br>Price € |
|---------|--------|------|------|----------|------------------------|--------------|----------------------|
| K651146 | M3     | 1    | 21   | 4        | A-5000-3551            | 34,00        | 27,00                |
| K651147 | M3     | 2    | 21   | 8        | A-5000-3552            | 29,00        | 23,00                |
| K651148 | M3     | 3    | 21   | 12       | A-5000-3553            | 30,00        | 24,00                |
| K651151 | M3     | 4    | 31   | 27       | A-5000-3554            | 32,00        | 26,00                |
| K651152 | M3     | 5    | 31   | 31       | A-5000-7648            | 35,00        | 28,00                |


| Code    | Thread | S mm | L mm | ML<br>mm | Renishaw<br>Equivalent | List Price € | Promotion<br>Price € |
|---------|--------|------|------|----------|------------------------|--------------|----------------------|
| K651111 | M3     | 0,5  | 20   | 2        | A-5000-7632            | 131,00       | 105,00               |
| K651329 | M3     | 1    | 22   | 12       |                        | 64,00        | 51,00                |
| K651330 | M3     | 1    | 32   | 25       |                        | 61,00        | 49,00                |
| K651119 | M3     | 1,5  | 30   | 22,5     | A-5003-0051            | 60,10        | 48,00                |
| K651109 | M3     | 2    | 20   | 14,8     |                        | 43,00        | 34,00                |
| K651120 | M3     | 2    | 30   | 22,5     | A-5003-0052            | 55,00        | 44,00                |
| K651127 | M3     | 2    | 40   | 32,5     | A-5003-0053            | 60,10        | 48,00                |
| K651133 | M3     | 4    | 50   | 46       | A-5003-0061            | 64,40        | 52,00                |

| Code    | Thread | S mm | L mm | ML<br>mm | ML 1<br>mm | Renishaw<br>Equivalent | List Price € | Promotion<br>Price € |
|---------|--------|------|------|----------|------------|------------------------|--------------|----------------------|
| K651106 | M3     | 0,3  | 21,9 | 8,85     | 2,16       | A-5555-0273            | 48,00        | 38,00                |
| K651105 | M3     | 0,5  | 21,8 | 8,75     | 2,25       |                        | 64,00        | 51,00                |










| Code    | Thread | L mm | D mm | Renishaw<br>Equivalent | List Price € | Promotion<br>Price € |
|---------|--------|------|------|------------------------|--------------|----------------------|
| K651156 | M3     | 10   | 4    | A-5004-7609            | 9,50         | 8,00                 |
| K651157 | M3     | 20   | 4    | A-5004-7583            | 10,50        | 8,00                 |
| K651158 | M3     | 30   | 4    | A-5555-0286            | 11,60        | 9,00                 |
| K651159 | M3     | 35   | 4    | A-5004-7584            | 16,00        | 13,00                |


| Code    | Thread | L mm | ML mm | D mm | Renishaw<br>Equivalent | List Price € | Promotion<br>Price € |
|---------|--------|------|-------|------|------------------------|--------------|----------------------|
| K651169 |        | 13   | 9     | 10   | Δ-5000-7610            | 50 40        | 40 00                |

D mm

4







| <u>و</u> | Ф | M2<br>D |
|----------|---|---------|
|          | Ψ |         |
|          |   |         |
|          |   |         |
|          |   | 1 4-4 7 |

| Code    | Description                | qty. | ø S mm | L mm |
|---------|----------------------------|------|--------|------|
| K651380 | Styli Kit M3 Starter       |      |        |      |
| K651146 | Stylus, stainless steel    | 1    | 1      | 21   |
| K651147 | Stylus, stainless steel    | 1    | 2      | 21   |
| K651148 | Stylus, stainless steel    | 1    | 3      | 21   |
| K651151 | Stylus, stainless steel    | 1    | 4      | 31   |
| K651152 | Stylus, stainless steel    | 1    | 5      | 31   |
| K651157 | Extension, stainless steel | 1    |        | 20   |
| K651159 | Extension, stainless steel | 1    |        | 35   |
| K651223 | Pin spanner ø 1.2 mm       | 2    |        |      |

Renishaw

Equivalent

A-5004-7592

List Price €

9,50

8,00

Visit our CMM fixtures web catalogue



## Fixtures for CMM

- Compatible with any CMM
- Ready for the Pallet Receiver System PRS for exact repositioning
- Significant enhancement of the quality control process

| Material | pcs. | Base plate   | List Price € | Promotion Price € |
|----------|------|--------------|--------------|-------------------|
| K551048  | 59   | 250 x 250 mm | 1.095        | 876,00            |
| K551559  | 98   | 500 x 400 mm | 1.979        | 1.583             |
| K551217  | 5    | PRS plate    | 1.193        | 954,00            |

#### eco-fix Kit S

Part No. K551048

- 59-piece modular clamping kit
- Includes 250 x 250 mm base plate



#### eco-fix Kit L

Part No. K551559

- 98-piece modular clamping kit
- Includes 500 x 400 mm base plate




#### **Pallet Receiver System Plate**


Part No. K551217

- Handles and spheres for the eco-fix pallet included
- Suits 250 mm and 500 mm base plates











## Ultra-flexible CMM fixturing

- Quick change of the base dimension
- Fast repositioning and set-up

| Material | pcs. | Base plate      | List Price € | Promotion Price € |
|----------|------|-----------------|--------------|-------------------|
| K551279  | 31   | ca. 800x 500 mm | 1.283        | 1.026             |

#### eco-fix rail Kit S

Part No. K551279

- 31-piece modular clamping kit
- Base adjustable up to approx. 800 x 500 mm





## FixtureBuilder Software


#### Optimum utilisation of the eco-fix kits on offer

The free of charge software FixtureBuilder enables the user to easily plan and set up his CMM fixture in just a few minutes. Repeatable fixturing has never been easier and at a better price performance ratio. FixtureBuilder is a software tool that allows users to create virtual clamping fixtures guickly and easily.

download

Building process





**Finished** fixture



Fixture and part

transferred to CMM

#### FixtureBuilder advantages

- Fixture building by mouse click
- Parts list with material overview
- Documented structure
- Assembly instruction
- Multiple data formats for file data import and export
- Load the fixture to your CMM software

## Fixtures for Vision Measuring Machines









#### opti-fix Kit 202

Part No. K551340

- 29-piece modular clamping kit
- For 202 and 302 frame machines
- Clamping of parts on the machine glass
- Clamping of rotationally symetric parts

## opti-fix Kit 404

Part No. K551341

- 49-piece modular clamping kit
- For 404 frame
- Clamping of parts on the machine glass
- Clamping of rotationally symetric parts
- Clamping with vises

- Magnetic holders are required, to attach the fixture to the machine frame.
- See the tables below

| Model     | frame | Part no.<br>X | qty.<br>axis | Part no.<br>Y | qty.<br>axis |
|-----------|-------|---------------|--------------|---------------|--------------|
| QV-Active | 202   | K551316       | 2            | K551063       | 2            |
| QV-Active | 404   | K551063       | 2            | K551316       | 2            |
| QV        | 302   | K550989       | 2            | K551063       | 2            |
| QV        | 404   | K550989       | 2            | K550989       | 2            |

| Material | Description                     | List<br>Price € | Promotion<br>Price € |
|----------|---------------------------------|-----------------|----------------------|
| K550989  | Magnetic holder L = 35 H = 27,5 | 186,00          | 149,00               |
| K551063  | Magnetic holder L = 25 H = 27,5 | 181,00          | 145,00               |
| K551296  | Magnetic holder L = 35 H = 41,5 | 175,00          | 140,00               |
| K551316  | Magnetic holder L = 20 H = 27,5 | 181,00          | 145,00               |

## Kaizen for everybody

MiSTAR 555 CNC

Complete kit bundle from

49.000 €\*

## UPGRADE TO PRO-PRODUCTIVITY.

Fits every budget. Fits every shopfloor. Fits every condition.

Fits for every job. Fit for every challenge.

\* For further details, please contact your local Mitutoyo Sales organisation





## MiSTAR optimised accessories

#### eco-fix clamping system kits

K551048 eco-fix kit S 250 x 250 mm base plate K551549 eco-fix kit L 500 x 400 mm base plate

- Modular fixturing system
- Easily reproducible structures
- Practice-oriented and economical
- Ensures optimal accessibility
- Universal set up



#### **K551217 Pallet Receiver Plate**

- 3-point positioning
- Only 1x datuming of the same part required
- Enables semi-automatic serial measurements
- Easy and safe repositioning on the CMM
- Handles and spheres for the eco-fix pallet included
- Suits 250 mm and 500 mm base plates



## MiSTAR Styli kit

- High quality styli kit
- Optimised for MiSTAR application
- Practice-oriented and economical
- For scanning and touch probe application



| Material | Description                      | qty. | Thread | List Price € | Promotion Price € |
|----------|----------------------------------|------|--------|--------------|-------------------|
| K651445  | Styli Kit M2/M3 "MiSTAR"<br>Ruby | 14   | M2/M3  | 857,00       | 686,00            |

| Code    | Description                         | qty. | ø S mm | L mm |
|---------|-------------------------------------|------|--------|------|
| K651445 | Styli Kit M2/M3 MiSTAR              |      |        |      |
| K651256 | Stylus, tungsten carbide            | 1    | 1      | 27,5 |
| K651258 | Stylus, tungsten carbide            | 2    | 2      | 30   |
| K651435 | Stylus SiN, tungsten carbide        | 1    | 3      | 40   |
| K651347 | Stylus, CFC                         | 5    | 4      | 50   |
| K651101 | Knuckle/swivel joint, stainl. steel | 1    |        | 17,2 |
| K651409 | Adapter, CFC                        | 1    |        | 30   |
| K651058 | 5-way stylus holder, rotatable      | 1    |        | 7,5  |
| K651223 | Pin spanner ø 1.2 mm                | 2    |        | 23   |





## **QV-Active optimised accessories**

## opti-fix clamping system kits

202 frame kit K551340 404 frame kit K551341

- The toothed rails allow measurements with transmitted light
- Parts for building a profile angle
- Clamping of rotationally symmetrical parts
- Clamp items directly on the glass of the machine
- The opti-fix vise included for further clamping options

#### M2 Starter kit

- Cost effective starter kit
- Optimised for touch probe application











| Material | Description          | qty. | Thread | List Price € | Promotion Price € |
|----------|----------------------|------|--------|--------------|-------------------|
| K651376  | Styli Kit M2 Starter | 8    | M2     | 166,00       | 133,00            |

| Code    | Description                | qty. | ø S mm | Lmm |
|---------|----------------------------|------|--------|-----|
| K651376 | Styli Kit M2 Starter       |      |        |     |
| K651012 | Stylus, stainless steel    | 1    | 1      | 10  |
| K651019 | Stylus, stainless steel    | 1    | 2      | 20  |
| K651021 | Stylus, stainless steel    | 1    | 3      | 20  |
| K651022 | Stylus, stainless steel    | 1    | 4      | 20  |
| K651038 | Extension, stainless steel | 1    |        | 10  |
| K651039 | Extension, stainless steel | 1    |        | 20  |
| K651223 | Pin spanner ø 1 2 mm       | 2    |        | 23  |



### LP Products Lupa Sp.j.

ul. Konstytucji 3 Maja 76 34-120 Andrychów

tel. : (+48) 33 870 45 95 kom: (+48) 608 37 47 25

e-mail: biuro@Lp-p.pl www.lp-p.pl

Action valid from June 1, 2025 until July 31, 2025. We reserve the right to make technical changes and developments; these prices only apply to business customers; all prices are understood to be net prices in EURO + VAT -further information is obtainable from www.mitutoyo.eu.

Delivery and prices of products offered herein are valid while supplies last. Technical changes, mistakes, and printing errors excepted.



Whatever your challenges are,
Mitutoyo supports you from start to finish.

Mitutoyo is not only a manufacturer of top-quality measuring products, but also one that offers qualified support for the lifetime of the equipment backed up by comprehensive services, ensuring your staff can make the very best use of the investment

Apart from the basics of calibration and repair, Mitutoyo offers product and metrology training, as well as IT support for the sophisticated software used in modern measuring technology. We can also design, build, test, and deliver bespoke measuring solutions and even, if deemed cost-effective, take your critical measurement challenges in-house on a sub-contract basis



## Find additional product literature and our complete catalog here.

www.mitutoyo.eu

**Note:** Product illustrations are without obligation. Product descriptions, in particular any and all technical specifications, are only binding when explicitly agreed upon.

MITUTOYO, ABSOLUTE, DIGIMATIC, OPTOEYE and U-WAVE are either registered trademarks or trademarks of Mitutoyo Corp. in Japan and/ or other countries/regions. Opti-fix is a registered trademark of KOMEG Industrielle Meßtechnik GmbH. Excel, Microsoft, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/ or other countries. Thiokol is a registered trademark of TORAY FINE CHEMICALS Co., Ltd. TÜV is a registered trademark of (among other holders) TÜV Rheinland AG. YouTube is a registered trademark of Google Inc. Other product, company and brand names mentioned herein are for identification purposes only and may be the trademarks of their respective holders

